

## 3M TAPED COOL LIGHT WEIGHT SHIRT 2 Tone Long Sleeve w/ Gusset Cuff

### BS6896

#### Features

- 3M Reflective taped 'Hoop' pattern around body
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- 2 chest pockets with button down flaps
- Left pocket with pen division
- Contrast coloured collar and lower panel on body and sleeves
- 2 button adjustable full gusset sleeve cuff

#### Fabric

- 100% Cotton Preshrunk Drill 155gsm
- 100% Cotton Mesh Knit 125gsm

#### Size

- XS - 6XL



Yellow/Navy  
(TT01)



Orange/Navy  
(TT02)



Yellow/Bottle  
(TT03)



Double layered back yoke panel

2 vertical cotton mesh back vents



2 piece structured contrast collar with collar stay stitched into each point of top collar

Pen division

Two front chest patch pockets with button down flaps

Underarm cooling vents

Single turned center front opening

3M Scotchlite woven label

Contrast coloured lower panel on body and sleeves

Gusset cuff

Shaped curved hem

6mm twin-needle top stitch at side seams and under sleeve

3M branded retroreflective tape stitched all around body and top sleeves in hoop pattern, finishing at side seam



**BS6896**  
[www.bisleyworkwear.com.au](http://www.bisleyworkwear.com.au)

## TECHNICAL FAQ'S

**What is the neck circumference (button to button hole)?**

**XS:** 36.5cm, **S:** 38.5cm, **M:** 40.5cm, **L:** 42.5cm,  
**XL:** 44.5cm, **2XL:** 46.5cm, **3XL:** 48.5cm,  
**4XL:** 50.5cm, **5XL:** 52.5cm, **6XL:** 54.5cm

**What is the sleeve length (sleeve head to cuff)?**

**XS:** 62.5cm, **S:** 63cm, **M:** 64cm, **L:** 65cm,  
**XL:** 65.5cm, **2XL:** 66cm, **3XL:** 67cm,  
**4XL:** 68cm, **5XL:** 68m, **6XL:** 68cm

**What is UPF rating of the fabric on this shirt?**

- **ALL COLOURS:** UPF 50+

## SIMILAR PRODUCTS



**BS6896 \_ TT32**

3M TAPED 2T HI VIS COOL LW SHIRT  
COMPLIES TO 4602.1:2011  
CLASS N: NIGHT USE ONLY



**BS6895**

2 TONE HI VIS COOL  
LW DRILL SHIRT LS



**BT6456**

3M TAPED 2 TONE HI VIS  
DRILL SHIRT LS

## AUSTRALIAN & INTERNATIONAL STANDARDS

### Australian/ New Zealand Standards

- **AS/NZS 2621:1998:** Textiles - Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957  
*BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION*
- **AS/NZS 2392:1999:** Textiles - Labelling of Clothing, Household Textiles and Furnishings  
*BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS*
- **AS/NZS 1957:1998:** Textiles - Care Labelling  
*BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS SUITED TO THEIR TYPE AND FABRICATION*
- **AS/NZS 2622:1996:** Textile Products - Fibre Content Labelling  
*BISLEYWORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT*
- **AS/NZS 4399:1996:** Sun Protective Clothing - Evaluation and Classification  
*THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOUR*

- **AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments.  
*THIS GARMENT MEETS THE FLUORESCENT CAPABILITIES AND THE CHROMATICITY READING TO ENSURE THAT THE BRIGHT COLOURS ARE WITHIN THE REQUIRED COLOUR RANGE (EXCLUDES PINK COLOURWAY). RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED.*
- **AS/NZS 4602.1:2011:** Hi Visibility Safety Garments. Garments For High Risk Application.  
*THIS GARMENT HAS A MINIMUM OF 0.2sqm OF HI VISIBILITY FABRIC ON THE FRONT AND BACK AND RETRO-REFLECTIVE TAPING CONFIGURATION - HOOP PATTERN TO MEET DAY & NIGHT STANDARD  
PINK COLOURWAY - RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N STANDARD.*
- **AS/NZS 1020:1995:** The Control of Undesirable Static Electricity  
*THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT*

### International Standards

- **ASTM D5489-07:** Standard Guide for Care Symbols for Care Instructions on Textile Products  
*BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS*
- **ISO 14184-1:** Textiles - Determination of Formaldehyde - Part 1: Free and Hydrolyzed Formaldehyde (Water Extraction Method)  
*BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE*

## SHIRTS

## MENS

Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
To fit neck size (cm)	36	37/38	39/40	41/42	43/44	46	48	50	52	54
To fit chest size (cm)	87	92	97	102	107	112	117	122	127	132
To fit chest size (inches)	34	36	38	40	42	44	46	48	50	52

**BS6896**

[www.bisleyworkwear.com.au](http://www.bisleyworkwear.com.au)

## 3M TAPED COOL LIGHT WEIGHT SHIRT 2 Tone Long Sleeve w/ Gusset Cuff

### BS6896



#### Features

- 3M Reflective taped 'Hoop' pattern around body
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- 2 chest pockets with button down flaps
- Left pocket with pen division
- Contrast coloured collar and lower panel on body and sleeves
- 2 button adjustable full gusset sleeve cuff

#### Fabric

- 100% Cotton Preshrunk Drill 155gsm
- 100% Cotton Mesh Knit 125gsm

#### Size

- S - 6XL

Pink /Navy  
(TT32)



3M Scotchlite<sup>™</sup>  
Reflective Material

8910 TAPE

**BS6896**

[www.bisleyworkwear.com.au](http://www.bisleyworkwear.com.au)

## TECHNICAL FAQ's

**What is the neck circumference (button to button hole)?**

**XS:** 36.5cm, **S:** 38.5cm, **M:** 40.5cm, **L:** 42.5cm,  
**XL:** 44.5cm, **2XL:** 46.5cm, **3XL:** 48.5cm,  
**4XL:** 50.5cm, **5XL:** 52.5cm, **6XL:** 54.5cm

**What is the sleeve length (sleeve head to cuff)?**

**XS:** 62.5cm, **S:** 63cm, **M:** 64cm, **L:** 65cm,  
**XL:** 65.5cm, **2XL:** 66cm, **3XL:** 67cm,  
**4XL:** 68cm, **5XL:** 68m, **6XL:** 68cm

**What is UPF rating of the fabric on this shirt?**

- **ALL COLOURS:** UPF 50+

## SIMILAR PRODUCTS



**BS6696T**  
 3M TAPED 2 TONE COOL  
 HI VIS LW SHIRT LS



**BS6895**  
 2 TONE HI VIS COOL  
 LW DRILL SHIRT LS



**BT6456**  
 3M TAPED 2 TONE HI VIS  
 DRILL SHIRT LS

## AUSTRALIAN & INTERNATIONAL STANDARDS

### Australian/ New Zealand Standards

- **AS/NZS 2621:1998:** Textiles - Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957  
*BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION*
- **AS/NZS 2392:1999:** Textiles - Labelling of Clothing, Household Textiles and Furnishings  
*BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS*
- **AS/NZS 1957:1998:** Textiles - Care Labelling  
*BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS SUITED TO THEIR TYPE AND FABRICATION*
- **AS/NZS 2622:1996:** Textile Products - Fibre Content Labelling  
*BISLEY WORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT*

- **AS/NZS 4399:1999:** Sun Protective Clothing - Evaluation and Classification  
*THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOURS*
- **AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments.  
*RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED.*
- **AS/NZS 1020:1995:** The Control of Undesirable Static Electricity  
*THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT*
- **AS/NZS 4602.1:2011:** Hi Visibility Safety Garments. Garments For High Risk Application.  
*RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N STANDARD.*

### International Standards

- **ASTM D5489-07:** Standard Guide for Care Symbols for Care Instructions on Textile Products  
*BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS*
- **ISO 14184-1:** Textiles - Determination of Formaldehyde - Part 1: Free and Hydrolized Formaldehyde (Water Extraction Method)  
*BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE*

## SHIRTS

## MENS

Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
To fit neck size (cm)	36	37/38	39/40	41/42	43/44	46	48	50	52	54
To fit chest size (cm)	87	92	97	102	107	112	117	122	127	132
To fit chest size (inches)	34	36	38	40	42	44	46	48	50	52

**BS6896**

[www.bisleyworkwear.com.au](http://www.bisleyworkwear.com.au)